

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

BARTON

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:
018064

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1959/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,086FT
		30N	29W	3		
<u>DRILL DEPTH:</u>	543FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				402,518.04	4,137,392.95
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1 MI S OF GOLDEN CITY; YIELD 20 GPM @ 200'			
<u>S.W.L. (AFTER CASING):</u>	140					

LOG ID:
021602

WELL TYPE
Industrial High Capacity Well

<u>DRILL DATE:</u>	1963/03/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,068FT
		30N	29W	6		
<u>DRILL DEPTH:</u>	740FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				396,677.02	4,136,183.04
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	AT&T - NO PRODUCTION OR CONSTRUCTION DATA			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
014786

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1956/03/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	962FT
		30N	31W	4		
<u>DRILL DEPTH:</u>	335FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					381,308.95	4,138,365.15
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	yield - 4 gpm @ 140 feet - located 5 miles south & 1/2 mile east of			
<u>S.W.L. (AFTER CASING):</u>	80		Oakton			

LOG ID:
002234

WELL TYPE
Oil Well

<u>DRILL DATE:</u>	1927//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	889FT
		30N	33W	1		
<u>DRILL DEPTH:</u>	1,810FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	28FT				365,610.92	4,137,681.21
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	Orla Moore - Rodell Well #1 - west of Nashville - oil and gas test			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028086**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1977/08/24TOWNSHIP RANGE SECTION

30N

33W

3

ELEVATION: 960FTDRILL DEPTH: 100FTUTM X UTM Y

363,762.91 4,138,060.22

ZONE 15

DEPTH TO BED:S.W.L. (BEFORE CASING):REMARKS: #31 ERDA TS STRAT TESTS.W.L. (AFTER CASING):**LOG ID:****003748**WELL TYPE

Private Well

DRILL DATE: 1936/09/12TOWNSHIP RANGE SECTION

31N

29W

11

ELEVATION: 1,048FTDRILL DEPTH: 375FTUTM X UTM Y

404,249.00 4,143,942.86

ZONE 15

DEPTH TO BED: 60FTS.W.L. (BEFORE CASING): FTREMARKS: 3 MI N OF GOLDEN CITYS.W.L. (AFTER CASING): 30**LOG ID:****018061**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

31N

29W

16

ELEVATION: 1,122FTDRILL DEPTH: 575FTUTM X UTM Y

400,961.99 4,142,493.92

ZONE 15

DEPTH TO BED: 25FTS.W.L. (BEFORE CASING): FTREMARKS: YIELD - 15 GPM @ 345'S.W.L. (AFTER CASING): 300**LOG ID:****020149**WELL TYPE

Private Well

DRILL DATE: 1961/01/06TOWNSHIP RANGE SECTION

31N

29W

18

ELEVATION: 1,021FTDRILL DEPTH: 400FTUTM X UTM Y

396,515.97 4,142,833.98

ZONE 15

DEPTH TO BED: 20FTS.W.L. (BEFORE CASING): FTREMARKS: Approx 3 miles west and 2 miles north of Golden CityS.W.L. (AFTER CASING): 255



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027965**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1975/09/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,148FT
<u>DRILL DEPTH:</u>	900FT	31N	29W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				399,388.99	4,142,435.94
<u>S.W.L. (BEFORE CASING):</u>	191				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	

REMARKS: formerly known as Barton County PWSD #3

LOG ID:**004017**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1936/12/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,044FT
<u>DRILL DEPTH:</u>	487FT	31N	29W	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				403,140.01	4,141,947.90
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	197				ZONE 15	

REMARKS: 2 miles north of Golden City - Fee, Well #1

LOG ID:**004142**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1937/02/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,060FT
<u>DRILL DEPTH:</u>	893FT	31N	29W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				403,485.03	4,139,104.92
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	160				ZONE 15	

REMARKS: CITY LOT

LOG ID:**020387**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1961/11/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,063FT
<u>DRILL DEPTH:</u>	1,100FT	31N	29W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				402,853.03	4,138,910.93
<u>S.W.L. (BEFORE CASING):</u>	176				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	

REMARKS:



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013344**WELL TYPE

Private Well

DRILL DATE: 1955// TOWNSHIP 31N RANGE 30W SECTION 11 ELEVATION: 1,010FT
DRILL DEPTH: 930FT UTM X 394,348.95 UTM Y 4,144,810.98
DEPTH TO BED: 300FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: OLD WELL (see log #13344) DEEPENED 700-930' (see log #14097)
S.W.L. (AFTER CASING):

LOG ID:**014097**WELL TYPE

Private Well

DRILL DATE: 1955// TOWNSHIP 31N RANGE 30W SECTION 11 ELEVATION: 1,010FT
DRILL DEPTH: 930FT UTM X 394,348.95 UTM Y 4,144,810.98
DEPTH TO BED: 300FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: OLD WELL (see log #13344) DEEPENED 700-930' (see log #14097)
S.W.L. (AFTER CASING):

LOG ID:**003024**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP 31N RANGE 30W SECTION 15 ELEVATION: 943FT
DRILL DEPTH: 256FT UTM X 393,093.95 UTM Y 4,144,074.01
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: @ KENOMA
S.W.L. (AFTER CASING):

LOG ID:**028032**WELL TYPE

Private Well

DRILL DATE: 1976/02/24 TOWNSHIP 31N RANGE 30W SECTION 20 ELEVATION: 938FT
DRILL DEPTH: 625FT UTM X 389,111.94 UTM Y 4,142,097.08
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA, TYPE OF WELL
S.W.L. (AFTER CASING): UNCERTAIN



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009293**WELL TYPE

Private Well

DRILL DATE: 1946/09/20TOWNSHIP RANGE SECTION

31N 30W 27

ELEVATION: 953FTDRILL DEPTH: 270FTUTM X UTM YDEPTH TO BED: 18FT391,568.97 4,139,618.08
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 7 MI W OF GOLDEN CITYS.W.L. (AFTER CASING): 24**LOG ID:****013013**WELL TYPE

Private Well

DRILL DATE: 1954/09/01TOWNSHIP RANGE SECTION

31N 31W 13

ELEVATION: 963FTDRILL DEPTH: 361FTUTM X UTM YDEPTH TO BED:385,131.92 4,144,587.07
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 3.5 MI S OF JCT HWYS 160 & 71; 0-200' FROM DRILLER'S LOGS.W.L. (AFTER CASING): 75**LOG ID:****011491**WELL TYPE

Private Well

DRILL DATE: 1950/12/01TOWNSHIP RANGE SECTION

31N 31W 2

ELEVATION: 979FTDRILL DEPTH: 655FTUTM X UTM YDEPTH TO BED: 95FT384,987.91 4,146,445.05
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: "GAS @ 25"; NO SAMPLES LOGGED 110-355'S.W.L. (AFTER CASING): 85**LOG ID:****014178**WELL TYPE

Private Well

DRILL DATE: 1955/00/00TOWNSHIP RANGE SECTION

31N 31W 33

ELEVATION: 958FTDRILL DEPTH: 160FTUTM X UTM YDEPTH TO BED: 20FT380,386.95 4,138,537.15
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 15



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009090**WELL TYPE

Private Well

DRILL DATE: 1946/03/09TOWNSHIP RANGE SECTIONELEVATION: 980FTDRILL DEPTH: 250FT

31N 32W 10

DEPTH TO BED:UTM X UTM Y
373,044.88 4,146,002.12
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 3 miles south of InathaS.W.L. (AFTER CASING): 175**LOG ID:****010970**WELL TYPE

Private Well

DRILL DATE: 1947/07/28TOWNSHIP RANGE SECTIONELEVATION: 974FTDRILL DEPTH: 360FT

31N 32W 11

DEPTH TO BED: 35FTUTM X UTM Y
373,866.88 4,146,129.12
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****008171**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1942/00/00TOWNSHIP RANGE SECTIONELEVATION: 1,007FTDRILL DEPTH: 85FT

31N 32W 17

DEPTH TO BED: 20FTUTM X UTM Y
370,271.88 4,145,265.14
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: ORIGINALLY LOCATED IN SEC 3 T27N R30W, BUT CHANGEDS.W.L. (AFTER CASING): 17**LOG ID:****027903**WELL TYPE

Irrigation Well

DRILL DATE: 1975/06/06TOWNSHIP RANGE SECTIONELEVATION: 950FTDRILL DEPTH: 1,100FT

31N 32W 21

DEPTH TO BED: 5FTUTM X UTM Y
370,551.90 4,142,455.16
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 1.25 MI N OF JCT HWYS 126 & 43,S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028121**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1978/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	995FT
<u>DRILL DEPTH:</u>	900FT	31N	32W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	240FT				373,658.90	4,143,638.14
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	formerly in name of Barton Co. PWSD #2, Well #4 - No Samples			
<u>S.W.L. (AFTER CASING):</u>			Logged 0-240 ft, no production or construction data			

LOG ID:**028281**WELL TYPE

Irrigation Well

<u>DRILL DATE:</u>	1979/08/22	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	965FT
<u>DRILL DEPTH:</u>	1,150FT	31N	32W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				372,960.90	4,142,776.15
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**013472**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	924FT
<u>DRILL DEPTH:</u>	696FT	31N	32W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				368,305.91	4,141,008.18
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	NO PRODUCTION OR CONSTRUCTION DATA			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**017803**WELL TYPE

Oil Well

<u>DRILL DATE:</u>	1958/12/27	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	910FT
<u>DRILL DEPTH:</u>	1,125FT	31N	32W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					368,105.91	4,141,008.18
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	Golden Willow Ranch, Well #1 - MGS Observation Well 8/78			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027052**WELL TYPE

Irrigation Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

964FT

DRILL DEPTH:

1,050FT

31N

32W

6

UTM XUTM YDEPTH TO BED:

25FT

367,446.86

4,147,665.14

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):**LOG ID:****028096**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1977/08/30

TOWNSHIPRANGESECTIONELEVATION:

953FT

DRILL DEPTH:

185FT

31N

33W

11

UTM XUTM YDEPTH TO BED:

365,418.85

4,145,796.16

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

ERDA STRAT TEST Well #32

S.W.L. (AFTER CASING):**LOG ID:****025231**WELL TYPE

Irrigation Well

DRILL DATE:

1967/11/09

TOWNSHIPRANGESECTIONELEVATION:

950FT

DRILL DEPTH:

1,090FT

31N

33W

20

UTM XUTM YDEPTH TO BED:

359,883.83

4,143,589.18

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

south from Hwy 160 on "M" approx 3 miles, west 1-1/2 miles, south in field

S.W.L. (AFTER CASING):

231

LOG ID:**011522**WELL TYPE

Private Well

DRILL DATE:

1951/01/01

TOWNSHIPRANGESECTIONELEVATION:

954FT

DRILL DEPTH:

215FT

31N

33W

3

UTM XUTM YDEPTH TO BED:

75FT

362,651.80

4,148,651.14

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

2 MI E OF MINDEN MINES

S.W.L. (AFTER CASING):

24



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026461

WELL TYPE
Irrigation Well

DRILL DATE: 1969/12/01 TOWNSHIP 31N RANGE 33W SECTION 30 ELEVATION: 955FT
DRILL DEPTH: 1,100FT UTM X 358,700.84 UTM Y 4,141,211.20
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 239

LOG ID:
021698

WELL TYPE
Community Public Well

DRILL DATE: 1963/00/00 TOWNSHIP 31N RANGE 33W SECTION 5 ELEVATION: 976FT
DRILL DEPTH: 910FT UTM X 359,543.77 UTM Y 4,148,824.13
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: Well #1 - WATER MINERALIZED BUT USABLE
S.W.L. (AFTER CASING): 240

LOG ID:
001985

WELL TYPE
Community Public Well

DRILL DATE: 1915/08/16 TOWNSHIP 31N RANGE 33W SECTION 6 ELEVATION: 956FT
DRILL DEPTH: 965FT UTM X 358,317.77 UTM Y 4,147,772.14
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: DRILLER'S LOG ONLY; @ MINDEN MINES
S.W.L. (AFTER CASING): 172

LOG ID:
101863

WELL TYPE
Industrial High Capacity Well

DRILL DATE: TOWNSHIP 31N RANGE 33W SECTION 7 ELEVATION:
DRILL DEPTH: 907FT UTM X 358,899.78 UTM Y 4,147,256.15
DEPTH TO BED: 215FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NEAR MINDEN MINES
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
025448

WELL TYPE
Irrigation Well

DRILL DATE: 1968/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 957FT

DRILL DEPTH: 1,050FT

31N

33W

8

UTM X

UTM Y

DEPTH TO BED:

360,772.80 4,147,028.15
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: Merle Barker, Manager - about 10 miles south of City of Lamar

S.W.L. (AFTER CASING):

LOG ID:
012974

WELL TYPE
Private Well

DRILL DATE: 1954/08/09

TOWNSHIP RANGE SECTION

ELEVATION: 1,040FT

DRILL DEPTH: 420FT

32N

29W

35

UTM X

UTM Y

DEPTH TO BED: 145FT

403,152.97 4,147,151.85
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: NO SAMPLES LOGGED 0-135'; 5 MI N OF GOLDEN CITY

S.W.L. (AFTER CASING): 58

LOG ID:
016160

WELL TYPE
Private Well

DRILL DATE: 1957/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 958FT

DRILL DEPTH: 75FT

32N

30W

18

UTM X

UTM Y

DEPTH TO BED: 10FT

387,756.90 4,153,050.98
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID:
025107

WELL TYPE
Community Public Well

DRILL DATE: 1967/08/01

TOWNSHIP RANGE SECTION

ELEVATION: 1,030FT

DRILL DEPTH: 940FT

32N

30W

27

UTM X

UTM Y

DEPTH TO BED: 5FT

393,227.91 4,150,069.94
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: Well #2 - East Well

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**001620**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1911//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	970FT
<u>DRILL DEPTH:</u>	1,888FT	32N	30W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	135FT				388,687.90	4,149,615.00
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	160	<u>REMARKS:</u>	E OF LAMAR - MAY BE OIL WELL			

LOG ID:**013346**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/01/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	981FT
<u>DRILL DEPTH:</u>	402FT	32N	30W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				389,587.89	4,150,344.99
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	183	<u>REMARKS:</u>	1.5 MI E OF LAMAR ON HWY 160			

LOG ID:**012439**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1953/10/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	957FT
<u>DRILL DEPTH:</u>	971FT	32N	30W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	820FT				387,368.89	4,149,612.01
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	228	<u>REMARKS:</u>	NO SAMPLES DESCRIBED 0-820', OLD ICE PLANT WELL			

LOG ID:**012618**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1954/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	975FT
<u>DRILL DEPTH:</u>	981FT	32N	30W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					387,768.89	4,151,027.99
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	247	<u>REMARKS:</u>	MGS OBSERVATION WELL			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028044**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1976/07/14TOWNSHIP RANGE SECTIONELEVATION: 975FTDRILL DEPTH: 150FT

32N

30W

4

DEPTH TO BED:UTM XUTM Y

390,538.94 4,157,364.93

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: USGS TS STRAT TESTS.W.L. (AFTER CASING):**LOG ID:****025178**WELL TYPE

Community Public Well

DRILL DATE: 1967/09/01TOWNSHIP RANGE SECTIONELEVATION: 995FTDRILL DEPTH: 900FT

32N

31W

17

DEPTH TO BED: 25FTUTM XUTM Y

380,567.88 4,154,619.02

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: Well #1 - aka West Well - located West of LamarS.W.L. (AFTER CASING):**LOG ID:****009046**WELL TYPE

Private Well

DRILL DATE: 1946/02/09TOWNSHIP RANGE SECTIONELEVATION: 988FTDRILL DEPTH: 330FT

32N

31W

24

DEPTH TO BED: 25FTUTM XUTM Y

385,449.88 4,151,917.00

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.75 MI N JCT HWYS 160 & 71S.W.L. (AFTER CASING): 170**LOG ID:****009184**WELL TYPE

Private Well

DRILL DATE: 1946/05/01TOWNSHIP RANGE SECTIONELEVATION: 973FTDRILL DEPTH: 305FT

32N

31W

24

DEPTH TO BED: 20FTUTM XUTM Y

385,449.88 4,151,917.00

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 175



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020214**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

950FT

DRILL DEPTH:

500FT

32N

31W

24

DEPTH TO BED:UTM XUTM Y

386,849.89

4,152,326.99

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****029030**WELL TYPE

Community Public Well

DRILL DATE:

2003/12/29

TOWNSHIPRANGESECTIONELEVATION:

1,000FT

DRILL DEPTH:

1,200FT

32N

31W

26

DEPTH TO BED:

30FT

UTM XUTM Y

384,435.88

4,151,305.01

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

Consolidated rural water district for Baton, Dade, Cedar & Jasper counties.

S.W.L. (AFTER CASING):

310

LOG ID:**022155**WELL TYPE

Irrigation Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

961FT

DRILL DEPTH:

1,015FT

32N

31W

28

DEPTH TO BED:

25FT

UTM XUTM Y

380,867.87

4,150,290.04

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

ALSO LOGGED AS #22522

S.W.L. (AFTER CASING):

235

LOG ID:**022522**WELL TYPE

Irrigation Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

961FT

DRILL DEPTH:

1,020FT

32N

31W

28

DEPTH TO BED:

25FT

UTM XUTM Y

380,867.87

4,150,290.04

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

SEE LOG #22155

S.W.L. (AFTER CASING):

235



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
025155

WELL TYPE
Private Well

DRILL DATE: 1967/06/01

TOWNSHIP RANGE SECTION
32N 31W 29

ELEVATION: 985FT

DRILL DEPTH: 480FT

UTM X UTM Y
380,245.87 4,150,571.04
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA; OLD WELL
DEEPENED 315-480'

S.W.L. (AFTER CASING):

LOG ID:
018904

WELL TYPE
Oil Well

DRILL DATE: 1960/03/15

TOWNSHIP RANGE SECTION
32N 31W 33

ELEVATION: 958FT

DRILL DEPTH: 610FT

UTM X UTM Y
381,174.88 4,149,291.05
ZONE 15

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING):

REMARKS: Well #1 FRED FUHR; NO SAMPLES LOGGED 515-611'; DRY &
ABANDONED

S.W.L. (AFTER CASING):

LOG ID:
023491

WELL TYPE
Irrigation Well

DRILL DATE:

TOWNSHIP RANGE SECTION
32N 32W 33

ELEVATION: 991FT

DRILL DEPTH: 1,440FT

UTM X UTM Y
370,696.86 4,148,747.12
ZONE 15

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING): FT

REMARKS: 1 MI S, 1 MI E OF JCT HWYS 43 & 160; ALSO LISTGD AS LOG
#24125

S.W.L. (AFTER CASING): 275

LOG ID:
024125

WELL TYPE
Irrigation Well

DRILL DATE:

TOWNSHIP RANGE SECTION
32N 32W 33

ELEVATION: 994FT

DRILL DEPTH:

UTM X UTM Y
370,696.86 4,148,747.12
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS: SEE LOG #23491

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010401

WELL TYPE
Private Well

DRILL DATE: 1947/07/16

TOWNSHIP RANGE SECTION

ELEVATION: 907FT

DRILL DEPTH: 140FT

32N 32W 6

DEPTH TO BED: 15FT

UTM X UTM Y
368,560.84 4,158,384.09
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: "WATER OILY - BAD"

S.W.L. (AFTER CASING): 40

LOG ID:
019041

WELL TYPE
Oil Well

DRILL DATE: 1960/06/01

TOWNSHIP RANGE SECTION

ELEVATION: 945FT

DRILL DEPTH: 120FT

32N 32W 9

DEPTH TO BED: 10FT

UTM X UTM Y
372,194.85 4,156,154.07
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: Well #1 - CHARLES THIEBAND

S.W.L. (AFTER CASING):

LOG ID:
028089

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1977/09/08

TOWNSHIP RANGE SECTION

ELEVATION: 884FT

DRILL DEPTH: 180FT

32N 33W 17

DEPTH TO BED:

UTM X UTM Y
359,694.75 4,154,960.11
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: ERDA TS #35

S.W.L. (AFTER CASING):

LOG ID:
000352

WELL TYPE
Community Public Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 902FT

DRILL DEPTH: 20FT

32N 33W 2

DEPTH TO BED: 3FT

UTM X UTM Y
365,413.81 4,157,792.10
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**000353**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

902FT

DRILL DEPTH:

135FT

32N

33W

2

UTM XUTM YDEPTH TO BED:

2FT

365,413.81

4,157,792.10

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

DRILLER'S LOG ONLY - PURPOSE OF WELL UNCERTAIN

S.W.L. (AFTER CASING):**LOG ID:****003852**WELL TYPE

Community Public Well

DRILL DATE:

1936/10/17

TOWNSHIPRANGESECTIONELEVATION:

892FT

DRILL DEPTH:

820FT

32N

33W

2

UTM XUTM YDEPTH TO BED:

10FT

365,613.81

4,158,004.10

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

Well #1

S.W.L. (AFTER CASING):

160

LOG ID:**023338**WELL TYPE

Community Public Well

DRILL DATE:

1965/00/00

TOWNSHIPRANGESECTIONELEVATION:

900FT

DRILL DEPTH:

825FT

32N

33W

2

UTM XUTM YDEPTH TO BED:

20FT

365,795.82

4,157,811.10

ZONE 15

S.W.L. (BEFORE CASING):

10

FT

REMARKS:S.W.L. (AFTER CASING):

190

FT

LOG ID:**027446**WELL TYPE

Community Public Well

DRILL DATE:

1974/01/01

TOWNSHIPRANGESECTIONELEVATION:

903FT

DRILL DEPTH:

825FT

32N

33W

2

UTM XUTM YDEPTH TO BED:

10FT

365,849.82

4,157,809.10

ZONE 15

S.W.L. (BEFORE CASING):

135

REMARKS:S.W.L. (AFTER CASING):

FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
011057

WELL TYPE
Oil Well

DRILL DATE: 1947/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 978FT

DRILL DEPTH: 245FT

32N 33W 25

DEPTH TO BED: 25FT

UTM X UTM Y
366,691.82 4,151,259.12
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 3.5 MI S OF LIBERAL

S.W.L. (AFTER CASING):

LOG ID:
022143

WELL TYPE
Oil Well

DRILL DATE: 1964/01/21

TOWNSHIP RANGE SECTION

ELEVATION: 955FT

DRILL DEPTH: 170FT

33N 30W 12

DEPTH TO BED: 20FT

UTM X UTM Y
395,871.99 4,163,804.83
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: Well #1 Smiley

S.W.L. (AFTER CASING):

LOG ID:
022144

WELL TYPE
Oil Well

DRILL DATE: 1964/01/21

TOWNSHIP RANGE SECTION

ELEVATION: 962FT

DRILL DEPTH: 170FT

33N 30W 12

DEPTH TO BED: 15FT

UTM X UTM Y
395,671.99 4,163,804.84
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: Well #2 - Smiley

S.W.L. (AFTER CASING):

LOG ID:
028088

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1977/09/06

TOWNSHIP RANGE SECTION

ELEVATION: 926FT

DRILL DEPTH: 163FT

33N 31W 22

DEPTH TO BED:

UTM X UTM Y
382,725.93 4,161,146.97
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: ERDA-TS #34

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028092**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1977/01/04TOWNSHIP RANGE SECTIONELEVATION: 922FTDRILL DEPTH: 155FT

33N 32W 13

UTM X UTM Y
376,377.90 4,163,850.01
ZONE 15DEPTH TO BED:S.W.L. (BEFORE CASING):REMARKS: ERDA-TS #11S.W.L. (AFTER CASING):**LOG ID:****028090**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1977/01/07TOWNSHIP RANGE SECTIONELEVATION: 942FTDRILL DEPTH: 158FT

33N 32W 35

UTM X UTM Y
375,189.88 4,159,709.04
ZONE 15DEPTH TO BED:S.W.L. (BEFORE CASING):REMARKS: ERDA-TS #12S.W.L. (AFTER CASING):**LOG ID:****028087**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1977/09/01TOWNSHIP RANGE SECTIONELEVATION: 873FTDRILL DEPTH: 156FT

33N 32W 7

UTM X UTM Y
368,342.85 4,166,480.07
ZONE 15DEPTH TO BED:S.W.L. (BEFORE CASING):REMARKS: ERDA-TS #33S.W.L. (AFTER CASING):**LOG ID:****012305**WELL TYPE

Oil Well

DRILL DATE: 1953/05/18TOWNSHIP RANGE SECTIONELEVATION: 852FTDRILL DEPTH: 745FT

33N 33W 10

UTM X UTM Y
364,041.80 4,165,658.09
ZONE 15DEPTH TO BED: 15FTS.W.L. (BEFORE CASING):REMARKS: Well #1 - DEAN THOMAS - DRY & ABANDONEDS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028093**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1977/01/20TOWNSHIP RANGE SECTIONELEVATION: 868FTDRILL DEPTH: 205FT

33N 33W 20

DEPTH TO BED:UTM X UTM Y
360,054.76 4,163,611.11
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****028080**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1977/01/13TOWNSHIP RANGE SECTIONELEVATION: 889FTDRILL DEPTH: 155FT

33N 33W 25

DEPTH TO BED:UTM X UTM Y
366,667.83 4,161,665.09
ZONE 15S.W.L. (BEFORE CASING):REMARKS: ERDA TS #9-SS.W.L. (AFTER CASING):**LOG ID:****028275**WELL TYPE

Oil Well

DRILL DATE: 1979/06/00TOWNSHIP RANGE SECTIONELEVATION: 886FTDRILL DEPTH:

33N 33W 6

DEPTH TO BED:UTM X UTM Y
358,824.74 4,167,959.11
ZONE 15S.W.L. (BEFORE CASING):REMARKS: Alta Cole, Well #1 - CORE CHIPS OF ERLDA-TS #38, 101-108'S.W.L. (AFTER CASING):**LOG ID:****001797**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 876FTDRILL DEPTH: 37FT

33N 33W 7

DEPTH TO BED: 1FTUTM X UTM Y
358,780.74 4,165,508.11
ZONE 15S.W.L. (BEFORE CASING):REMARKS: DRILLERS LOG ONLYS.W.L. (AFTER CASING):

BARTON